

Rabbit Cleaved-Caspase 1 Polyclonal Antibody | anti-CASP1 antibody

Cleaved-Caspase 1 (Ala317), p10 Antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA31336	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunofluorescence, Immunocytochemistry

PRODUCT SYNONYMS

Cleaved-Caspase 1; Polyclonal Antibody; Cleaved-Caspase 1 (Ala317); p10 Antibody; CASP-1; CASP1; CASP1_HUMAN; Caspase 1; Caspase-1 subunit p10; ICE; IL-1 beta-converting enzyme; IL-1BC; IL1 beta converting enzyme; IL1B convertase; Interleukin 1 beta convertase; Interleukin 1B converting enzyme; Interleukin-1 beta convertase; Interleukin-1 beta-converting enzyme; p45; anti-CASP1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	Rabbit IgG
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin
Form/Format	Rabbit IgG in phosphate buffered saline, pH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	~1mg/ml (varies by lot)
Applicable Applications for anti-CASP1 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence), ICC (Immunocytochemistry)
Application Notes	WB: 1:500-1:2000 IHC: 1:50-1:200 IF/ICC: 1:100-1:500 The optimal dilution should be determined by the end user. IMPORTANT: For western blots, incubate membrane with diluted antibody in 5% w/v milk , 1X TBS, 0.1% Tween@20 at 4°C with gentle shaking, overnight.
Immunogen	The antiserum was produced against synthesized peptide derived from human Caspase 1.
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.




Application Data

At 25 degree C. Samples were then incubated with primary Ab(At 37 degree C. An AlexaFluor594 conjugated goat anti-mouse IgG(H+L) Ab(Red) and an AlexaFluor488 conjugated goat anti-rabbit IgG(H+L) Ab(Green) were used as the secondary antibody. The nuclear counter stain is DAPI(blue).




Application Data

At 25 degree C. Samples were then incubated with primary Ab(At 37 degree C. An AlexaFluor594 conjugated goat anti-rabbit IgG(H+L) Ab(Red) and an AlexaFluor488 conjugated goat anti-mouse IgG(H+L) Ab(Green) were used as the secondary antibody. The nuclear counter stain is DAPI(blue).



IHC (Immunohistochemistry)

At 1/100 staining Human thyroid cancer tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary antibody.




IHC (Immunohistochemistry)

At 1/100 staining Human normal tissues adjacent to esophageal cancer by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.



IHC (Immunohistochemistry)

At 1/100 staining Human gastric cancer by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.



IHC (Immunohistochemistry)

Staining Human colorectal cancer by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502573
NCBI GeneID	834
NCBI Accession #	NP_001214.1
NCBI GenBank Nucleotide #	NM_001223.4
UniProt Accession #	P29466; Q53EY6; Q6DMQ1; Q6GSS3; Q6PI75; Q9UCN3; B5MDZ1
Molecular Weight	10 kDa (Active)
NCBI Official Full Name	caspase-1 isoform beta
NCBI Official Synonym Full Names	caspase 1, apoptosis-related cysteine peptidase
NCBI Official Symbol	CASP1
NCBI Official Synonym Symbols	ICE; P45; IL1BC
NCBI Protein Information	caspase-1; IL1B-convertase; CASP1 nirs variant 1; IL-1 beta-converting enzyme; interleukin 1, beta, convertase; interleukin 1-B converting enzyme; caspase 1, apoptosis-related cysteine peptidase (interleukin 1, beta, convertase)
UniProt Protein Name	Caspase-1
UniProt Gene Name	CASP1
UniProt Synonym Gene Names	IL1BC; IL1BCE; CASP-1; IL-1BC; ICE
UniProt Entry Name	CASP1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/cleaved-caspase-1-antibody-western-blot-immunohistochemistry-immunofluorescence-immunocytochemistry-elisa/31336>