

Rabbit alpha Tubulin Polyclonal Antibody | anti-TUBA1B antibody

Acetyl-alpha Tubulin (Lys40) Antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA31344	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunofluorescence, Immunocytochemistry

PRODUCT SYNONYMS

alpha Tubulin; Polyclonal Antibody; Acetyl-alpha Tubulin (Lys40) Antibody; Alpha tubulin ubiquitous; Alpha-tubulin ubiquitous; K alpha 1; TBA1B_HUMAN; TUBA1B; Tubulin alpha 1B; Tubulin alpha 1B chain; Tubulin alpha ubiquitous; Tubulin alpha ubiquitous chain; Tubulin alpha-1B chain; Tubulin alpha-ubiquitous chain; Tubulin K alpha 1; Tubulin K-alpha-1; anti-TUBA1B antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	Rabbit IgG
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin (Thermo Fisher Scientific).
Form/Format	Supplied in phosphate buffered saline, pH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	~1mg/ml (varies by lot)
Applicable Applications for anti-TUBA1B antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence), ICC (Immunocytochemistry)
Application Notes	WB: 1:500-1:2000 IF/ICC: 1:100-1:500 IHC: 1:50-1:200 *The optimal dilutions should be determined by the end user. IMPORTANT: For western blots, incubate membrane with diluted antibody in 5% w/v milk , 1X TBS, 0.1% Tween20 at 4 degree C with gentle shaking, overnight.
Immunogen	A synthesized peptide derived from human alpha Tubulin around the acetylation site of Lys40.
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.




Application Data

At 25 degree C. Samples were then incubated with primary Ab(At 37 degree C. An AlexaFluor594 conjugated goat anti-rabbit IgG(H+L) Ab(Red) and an AlexaFluor488 conjugated goat anti-mouse IgG(H+L) Ab(Green) were used as the secondary antibody. The nuclear counter stain is DAPI(blue).




IHC (Immunohistochemistry)

At 1/100 staining Human colorectal cancer by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.




IHC (Immunohistochemistry)

At 1/100 staining Human colorectal cancer by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.



IHC (Immunohistochemistry)

At 1/100 staining Human kidney cancer by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.



IHC (Immunohistochemistry)

At 1/100 staining Human ovarian cancer by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.



IHC (Immunohistochemistry)

At 1/100 staining Mouse testis tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.

NCBI AND UNIPROT INFORMATION

NCBI GI #	55977474
-----------	----------

NCBI GeneID	10376
UniProt Accession #	P68363; P04687; P05209; Q27I68; Q8WU19
Molecular Weight	52 kDa
NCBI Official Full Name	Tubulin alpha-1B chain
NCBI Official Synonym Full Names	tubulin, alpha 1b
NCBI Official Symbol	TUBA1B
NCBI Official Synonym Symbols	K-ALPHA-1
NCBI Protein Information	tubulin alpha-1B chain; alpha tubulin; tubulin K-alpha-1; alpha-tubulin ubiquitous; tubulin, alpha, ubiquitous; tubulin alpha-ubiquitous chain
UniProt Protein Name	Tubulin alpha-1B chain
UniProt Gene Name	TUBA1B
UniProt Entry Name	TBA1B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/alpha-tubulin-antibody-western-blot-immunohistochemistry-immunofluorescence-immunocytochemistry-elisa/31344>