

Human Sarcolipin (SLN) ELISA Kit | SLN elisa kit

Human Sarcolipin (SLN) ELISA Kit

CATALOG #
AAA31484

REACTIVITY
Human


PRODUCT SYNONYMS

Sarcolipin (SLN); Human Sarcolipin (SLN) ELISA Kit; SLN; MGC12301; MGC125854; MGC125855; SLN elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	Human Sarcolipin (SLN) ELISA Kit has high sensitivity and excellent specificity for detection of Human SLN. No significant cross-reactivity or interference between Human SLN and analogues was observed.
Sequence Length	31
Assay Type	Sandwich ELISA (Quantitative)
Samples	Cell Culture Supernatants, Serum, Plasma, Other Biological Fluids
Detection Method	Colorimetric
Usage Notes	* Do not mix components from different kit lots or use reagents beyond the kit expiration date. * Allow all reagents to warm to room temperature for at least 30 minutes before opening. * Pre-rinse the pipet tip with reagent, use fresh pipet tips for each sample, standard and reagent to avoid contamination. * Unused wells must be kept desiccated at 4 degree C in the sealed bag provided. * Mix Thoroughly is very important for the result. It is recommended using low frequency oscillator or slight hand shaking every 10 minutes. * It is recommended that all samples and standards be assayed in duplicate or triplicate.
Preparation and Storage	Store at 2-8 degree C.

IMAGES



Standard Curve (Sample)

Fig.1. Human Sarcolipin (SLN) Standard Curve.

ADDITIONAL INFORMATION

Related Product Information for SLN elisa kit	Description: This Human Sarcolipin (SLN) ELISA Kit employs a two-site sandwich ELISA to quantitate SLN in samples. An antibody specific for SLN has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any SLN present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for SLN is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of SLN bound in the initial step. The color development is stopped and the intensity of the color is measured. Background: Sarcoplasmic reticulum Ca(2+)-ATPases are transmembrane proteins that catalyze the ATP-dependent transport of Ca(2+) from the cytosol into the lumen of the sarcoplasmic reticulum in muscle cells. Sarcolipin is a small proteolipid that regulates several sarcoplasmic reticulum Ca(2+)-ATPases. The transmembrane protein interacts with Ca(2+)-ATPases and reduces the accumulation of Ca(2+) in the sarcoplasmic reticulum without affecting the rate of ATP hydrolysis.SLN is highly expressed in rabbit fast-twitch skeletal muscle, but it is expressed to a lower extent in slow-twitch muscle and to an even lower extent in cardiac muscle, where ATP2A2 and PLN are highly expressed. It is expressed in only trace amounts in pancreas and prostate.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	2811004
NCBI GeneID	6588
UniProt Accession #	O00631
NCBI Official Full Name	Sarcolipin
NCBI Official Synonym Full Names	sarcolipin
NCBI Official Symbol	SLN
NCBI Protein Information	sarcolipin
UniProt Protein Name	Sarcolipin
UniProt Gene Name	SLN
UniProt Entry Name	SARCO_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.