

Rabbit PKC-pan Polyclonal Antibody | anti-PKC-pan antibody

PKC-pan (Phospho-Thr497) Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA316303	Rabbit	Human, Mouse, Rat	ELISA, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

PKC-pan; Polyclonal Antibody; PKC-pan (Phospho-Thr497) Antibody; KPCA; PKC III; PKC-A; PKC-III; PKC-alpha; PRKACA; PRKCA; Protein kinase C; alpha type; kinase PKC-alpha PKC-delta; PRKCD; kinase PKC-delta; nPKC-delta PKC-epsilon; PKCEA; PRKCE; epsilon type; kinase PKC-epsilon; nPKC-epsilon; anti-PKC-pan antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	PKC-pan (Phospho-Thr497) Antibody detects endogenous levels of PKC-pan only when phosphorylated at Thr497.
Purity/Purification	Purified from rabbit antiserum by affinity-chromatography using phospho peptide. The antibody against non-phospho peptide was removed by chromatography using corresponding non-phospho peptide.
Form/Format	Rabbit IgG in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1 mg/ml (varies by lot)
Sequence Length	672
Applicable Applications for anti-PKC-pan antibody	ELISA, IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Target Modification	Phospho
Modification Sites	H:T497/500/507/566/514/512/538/410; M:T497/500/505/566/514/513/538/410; R:T497/500/505/566/514/513/538/410
Immunogen	The antiserum was produced against synthesized peptide derived from human PKC-pan around the phosphorylation site of Thr497.
Immunogen Range	623-672
Preparation and Storage	Stable at -20 degree C for at least 1 year.


IMAGES



WB (Western Blot)
Western blot analysis of lysates from NIH/3T3 cells treated with PMA 250ng/ml 15', using PKC-pan (Phospho-Thr497) Antibody. The lane on the right is blocked with the phospho peptide.



IHC (Immunohiostchemistry)
Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using PKC-pan (Phospho-Thr497) Antibody. The picture on the right is blocked with the phospho peptide.



IF (Immunofluorescence)
Immunofluorescence analysis of HepG2 cells, using PKC-pan (Phospho-Thr497) Antibody. The picture on the right is blocked with the phospho peptide.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506067
NCBI GeneID	5578
NCBI Accession #	NP_002728.1
NCBI GenBank Nucleotide #	NM_002737.2
UniProt Accession #	P17252; Q15137; Q32M72; Q96RE4; B5BU22
Molecular Weight	76 kDa
NCBI Official Full Name	protein kinase C alpha type
NCBI Official Synonym Full Names	protein kinase C alpha
NCBI Official Symbol	PRKCA
NCBI Official Synonym Symbols	AAG6; PKCA; PRKACA; PKC-alpha
NCBI Protein Information	protein kinase C alpha type
UniProt Protein Name	Protein kinase C alpha type
UniProt Gene Name	PRKCA
UniProt Synonym Gene Names	PKCA; PRKACA; PKC-A; PKC-alpha

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

