

Rabbit PI 3-kinase p85alpha Polyclonal Antibody | anti-PIK3R1 antibody

PI 3-kinase p85alpha Rabbit Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA318878	Rabbit	Human, Mouse, Rat	ELISA, Western Blot


PRODUCT SYNONYMS

PI 3-kinase p85alpha; Polyclonal Antibody; PI 3-kinase p85alpha Rabbit Polyclonal Antibody; PIK3R1; GRB1; Phosphatidylinositol 3-kinase regulatory subunit alpha; PI3-kinase regulatory subunit alpha; PI3K regulatory subunit alpha; PtdIns-3-kinase regulatory subunit alpha; Phosphatidylinositol 3-kinase 85 kDa regulatory subunit alpha; BH6842; anti-PIK3R1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous levels of PI 3-kinase p85alpha.
Purity/Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Form/Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-PIK3R1 antibody	ELISA, WB (Western Blot)
Immunogen	Synthesized peptide derived from PI 3-kinase p85alpha. at AA range: 550-630
Modification	Unmodified/Total
Preparation and Storage	Store at -20 degree C/1 year

IMAGES



Application Data

Fan, Hua, et al. "Scutellarin Prevents Nonalcoholic Fatty Liver Disease (NAFLD) and Hyperlipidemia via PI3K/AKT-Dependent Activation of Nuclear Factor (Erythroid-Derived 2)-Like 2 (Nrf2) in Rats." Medical science monitor: international medical journal of experimental and clinical research 23 (2017): 5599.



WB (Western Blot)

Western Blot analysis of various cells using primary antibody diluted at 1:500(4 degree C overnight). Secondary antibody:Goat Anti-rabbit IgG IRDye 800(diluted at 1:5000, 25 degree C, 1 hour

ADDITIONAL INFORMATION

Related Product Information for anti-PIK3R1 antibody	Phosphatidylinositol 3-kinase phosphorylates the inositol ring of phosphatidylinositol at the 3-prime position. The enzyme comprises a 110 kD catalytic subunit and a regulatory subunit of either 85, 55, or 50 kD. This gene encodes the 85 kD regulatory subunit. Phosphatidylinositol 3-kinase plays an important role in the metabolic actions of insulin, and a mutation in this gene has been associated with insulin resistance. Alternative splicing of this gene results in four transcript variants encoding different isoforms. [provided by RefSeq, Jun 2011]
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	335057534
NCBI GeneID	5295
NCBI Accession #	NP_001229395.1
NCBI GenBank Nucleotide #	NM_001242466.1
UniProt Accession #	P27986; Q15747; Q4VBZ7; Q53EM6; Q8IXA2; Q8N1C5; B3KT19; D3DWA0; E7EX19
Molecular Weight	83,598 Da
NCBI Official Full Name	phosphatidylinositol 3-kinase regulatory subunit alpha isoform 4
NCBI Official Synonym Full Names	phosphoinositide-3-kinase, regulatory subunit 1 (alpha)
NCBI Official Symbol	PIK3R1
NCBI Official Synonym Symbols	p85; AGM7; GRB1; p85-ALPHA
NCBI Protein Information	phosphatidylinositol 3-kinase regulatory subunit alpha; PI3-kinase subunit p85-alpha; PI3K regulatory subunit alpha; ptdIns-3-kinase regulatory subunit alpha; phosphoinositide-3-kinase regulatory subunit; phosphatidylinositol 3-kinase-associated p-85 alph
UniProt Protein Name	Phosphatidylinositol 3-kinase regulatory subunit alpha
UniProt Gene Name	PIK3R1
UniProt Synonym Gene Names	GRB1; PI3-kinase regulatory subunit alpha; PI3K regulatory subunit alpha; PtdIns-3-kinase regulatory subunit alpha; PI3-kinase subunit p85-alpha
UniProt Entry Name	P85A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/pi-3-kinase-p85alpha-antibody-western-blot-elisa/318878>