

Rabbit LILRB2 Polyclonal Antibody | anti-LILRB2 antibody

LILRB2 Antibody

CATALOG # AAA328022	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

LILRB2; Polyclonal Antibody; LILRB2 Antibody; CD85 antigen-like family member D; CD85d; CD85d antigen; ILT 4; ILT-4; ILT4; Immunoglobulin like transcript 4; Immunoglobulin-like transcript 4; Leukocyte immunoglobulin like receptor 2; Leukocyte immunoglobulin like receptor subfamily B member 2; Leukocyte immunoglobulin-like receptor 2; Leukocyte immunoglobulin-like receptor subfamily B member 2; Leukocyte immunoglobulin-like receptor; subfamily B (with TM and ITIM domains); member 2; LILRA6; LIR 2; LIR-2; LIR2; LIRb; LIRB2_HUMAN; MIR 10; MIR-10; MIR10; Monocyte/macrophage immunoglobulin like receptor 10; Monocyte/macrophage immunoglobulin-like receptor 10; anti-LILRB2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin (Thermo Fisher Scientific).
Form/Format	Liquid Phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1mg/ml (varies by lot)
Sequence Length	598
Applicable Applications for anti-LILRB2 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human LILRB2, corresponding to a region within the internal amino acids
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.

IMAGES




IHC (Immunohistochemistry)

AAA328022 at 1/100 staining human prostate cancer and para-carcinoma tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary Ab at 4 degree C overnight. An HRP conjugated anti-rabbit Ab was used as the secondary Ab



IHC (Immunohistochemistry)

AAA328022 at 1/100 staining Human lymph node tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



WB (Western Blot)
Western blot analysis of LILRB2 using K562 whole cell lysates

NCBI AND UNIPROT INFORMATION

NCBI GI #	311033485
NCBI GeneID	10288
UniProt Accession #	Q8N423; O75017; Q8NHJ7; Q8NHJ8; A8MU67; C9JF29
Molecular Weight	60~80 kDa
NCBI Official Full Name	Leukocyte immunoglobulin-like receptor subfamily B member 2
NCBI Official Synonym Full Names	leukocyte immunoglobulin like receptor B2
NCBI Official Symbol	LILRB2
NCBI Official Synonym Symbols	ILT4; LIR2; CD85D; ILT-4; LIR-2; MIR10; MIR-10
NCBI Protein Information	leukocyte immunoglobulin-like receptor subfamily B member 2
UniProt Protein Name	Leukocyte immunoglobulin-like receptor subfamily B member 2
UniProt Gene Name	LILRB2
UniProt Synonym Gene Names	ILT4; LIR2; MIR10; LIR-2; Leukocyte immunoglobulin-like receptor 2; ILT-4; MIR-10

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/lilrb2-antibody-immunohistochemistry-western-blot-elisa/328022>