Rabbit DNA-PK Polyclonal Antibody | anti-DNA-PK antibody

Phospho-DNA-PK (Thr2609) Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA329616	**Rabbit**	**Human, Mouse, Rat**	**Immunohistochemistry, Western Blot**

PRODUCT SYNONYMS

DNA-PK; Polyclonal Antibody; Phospho-DNA-PK (Thr2609) Antibody; DNA dependent protein kinase catalytic subunit; DNA PK catalytic subunit; DNA-dependent protein kinase catalytic subunit; DNA-PK catalytic subunit; DNA-PKcs; DNAPK; DNAPK catalytic subunit; DNPK 1; DNPK1; Hyper radiosensitivity of murine scid mutation; complementing 1; Hyperradiosensitivity complementing 1; mouse; homolog of 1; HYRC 1; HYRC; HYRC1; IMD26; p350; p460; PKRDC; PRKDC; PRKDC_HUMAN; Protein Kinase DNA Activated Catalytic Polypeptide; XRCC 7; XRCC7; anti-DNA-PK antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Phospho-DNA-PK (Thr2609) Antibody detects endogenous levels of DNA-PK only when phosphorylated at Thr2609.
Purity/Purification	The antibody is from purified rabbit serum by affinity purification via sequential chromatography on phospho-peptide and non-phospho-peptide affinity columns.
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, pH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	~1mg/ml (varies by lot)
Applicable Applications for anti-DNA-PK antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human DNA-PK around the phosphorylation site of Thr2609.
Preparation and Storage	Store at -20°C. Stable for 12 months from date of receipt.

IMAGES



IHC (Immunohistochemistry)
Staining Rat brain tissue sections by IHC-P. The tissue was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The tissue was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary antibody.

NCBI AND UNIPROT INFORMATION

NCBI GI #	126032350
NCBI GeneID	5591
NCBI Accession #	NP_001075109.1
NCBI GenBank Nucleotide #	NM_001081640.1
UniProt Accession #	P78527; P78528; Q13327; Q13337; Q14175; Q59H99; Q7Z611; Q96SE6; Q9UME3
Molecular Weight	450 kDa
NCBI Official Full Name	DNA-dependent protein kinase catalytic subunit isoform 2
NCBI Official Synonym Full Names	protein kinase, DNA-activated, catalytic polypeptide
NCBI Official Symbol	PRKDC
NCBI Official Synonym Symbols	HYRC; p350; DNAPK; DNPK1; HYRC1; XRCC7; DNA-PKcs
NCBI Protein Information	DNA-dependent protein kinase catalytic subunit; p460; DNA-PK catalytic subunit; hyper-radiosensitivity of murine scid mutation, complementing 1
UniProt Protein Name	DNA-dependent protein kinase catalytic subunit
UniProt Gene Name	**PRKDC**
UniProt Synonym Gene Names	HYRC; HYRC1; DNA-PK catalytic subunit; DNA-PKcs
UniProt Entry Name	PRKDC_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: https://www.aaabiotech.com/polyclonal/dna-pk-antibody-immunohistochemistry-western-blot-elisa/329616