

CD4 Monoclonal Antibody | anti-CD4 antibody

CD4 Monoclonal Antibody

CATALOG # AAA330121	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunofluorescence, Immunohistochemistry
-------------------------------	--	---


PRODUCT SYNONYMS

CD4; Monoclonal Antibody; CD4 Monoclonal Antibody; Mouse Anti-CD4 Monoclonal Antibody; T-cell surface glycoprotein CD4; T-cell surface antigen T4/Leu-3; anti-CD4 antibody

PRODUCT SPECIFICATIONS


Reactivity	Human, Mouse, Rat
Clonality	Monoclonal
Isotype	Mouse IgG1
Form/Format	Liquid; PBS, pH 7.4, containing 0.02% Sodium Azide as preservative and 50% Glycerol.
Concentration	1 mg/ml (varies by lot)
Applicable Applications for anti-CD4 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry)
Note	Contain sodium azide.
Preparation and Storage	Stable for one year at -20°C from date of shipment. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. Aliquot to avoid repeated freezing and thawing.

IMAGES




IF (Immunofluorescence)

Fig.5. Immunofluorescence analysis of rat lung tissue. 1, CD4 Monoclonal Antibody (red) was diluted at 1:200 (4 degree C, overnight). 2, Cy3 Labeled secondary antibody was diluted at 1:300 (room temperature, 50min). 3, Picture B: DAPI (blue) 10min. Picture A: Target. Picture B: DAPI. Picture C: merge of A+B.




IF (Immunofluorescence)

Fig.4. Immunofluorescence analysis of mouse colon tissue. 1, CD4 Monoclonal Antibody (red) was diluted at 1:200 (4 degree C, overnight). 2, Cy3 Labeled secondary antibody was diluted at 1:300 (room temperature, 50min). 3, Picture B: DAPI (blue) 10min. Picture A: Target. Picture B: DAPI. Picture C: merge of A+B.




IHC (Immunohistochemistry)

Fig.3. Immunohistochemical analysis of paraffin-embedded rat kidney tissue. 1, CD4 Monoclonal Antibody was diluted at 1:200 (4 degree C, overnight). 2, Sodium citrate pH 6.0 was used for antibody retrieval (>98 degree C, 20min). 3, secondary antibody was diluted at 1:200 (room temperature, 30min). Negative control was used by secondary antibody only.



IHC (Immunohistochemistry)

Fig.2. Immunohistochemical analysis of paraffin-embedded mouse brain tissue. 1, CD4 Monoclonal Antibody was diluted at 1:200 (4 degree C, overnight). 2, Sodium citrate pH 6.0 was used for antibody retrieval (>98 degree C, 20min). 3, secondary antibody was diluted at 1:200 (room temperature, 30min). Negative control was used by secondary antibody only.



IHC (Immunohistochemistry)

Fig.1. Immunohistochemical analysis of paraffin-embedded human stomach tissue. 1, CD4 Monoclonal Antibody was diluted at 1:200 (4 degree C, overnight). 2, Sodium citrate pH 6.0 was used for antibody retrieval (>98 degree C, 20min). 3, secondary antibody was diluted at 1:200 (room temperature, 30min). Negative control was used by secondary antibody only.

ADDITIONAL INFORMATION

Related Product Information for anti-CD4 antibody

CD4 encodes a membrane glycoprotein of T lymphocytes that interacts with major histocompatibility complex class II antigens and is also a receptor for the human immunodeficiency virus. CD4 is expressed not only in T lymphocytes, but also in B cells, macrophages, and granulocytes. It is also expressed in specific regions of the brain. CD4 molecule functions to initiate or augment the early phase of T-cell activation, and may function as an important mediator of indirect neuronal damage in infectious and immune-mediated diseases of the central nervous system. Multiple alternatively spliced transcript variants encoding different isoforms have been identified in CD4.

NCBI AND UNIPROT INFORMATION

NCBI GI #	10835167
NCBI GeneID	920
NCBI Accession #	NP_000607.1
NCBI GenBank Nucleotide #	NP_000607.1
UniProt Accession #	P01730
NCBI Official Full Name	T-cell surface glycoprotein CD4 isoform 1
NCBI Official Synonym Full Names	CD4 molecule
NCBI Official Symbol	CD4
NCBI Official Synonym Symbols	CD4mut
NCBI Protein Information	T-cell surface glycoprotein CD4
UniProt Protein Name	T-cell surface glycoprotein CD4

UniProt Gene Name	CD4
UniProt Entry Name	CD4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/cd4-antibody-immunofluorescence-immunohistochemistry-elisa/330121>