

Rat Histamine ELISA Kit

Rat Histamine ELISA Kit

CATALOG #
AAA330229

REACTIVITY
Rat


PRODUCT SYNONYMS

Histamine; Rat Histamine ELISA Kit; Histamine elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Assay Type	Sandwich
Detection Method	Colorimetric
Limit of Detection	0.1 mug/L
Usage Notes	* Do not mix components from different kit lots or use reagents beyond the kit expiration date. * Allow all reagents to warm to room temperature for at least 30 minutes before opening. * Pre-rinse the pipet tip with reagent, use fresh pipet tips for each sample, standard and reagent to avoid contamination. * Unused wells must be kept desiccated at 4 degree C in the sealed bag provided. * Mix Thoroughly is very important for the result. It is recommended using low frequency oscillator or slight hand shaking every 10 minutes. * It is recommended that all samples and standards be assayed in duplicate or triplicate.
Preparation and Storage	Store at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Histamine elisa kit	Background: Histamine is an amine that is produced as part of a local immune response to cause inflammation. It also performs several important functions in the bowel and acts as a neurotransmitter or chemical messenger that carries signals from one nerve to another. Histamine is secreted by basophils and mast cells as part of a local immune response to the presence of invading bodies. The basophils and mast cells are found in nearby connective tissue. This histamine release causes capillaries to become more permeable to white blood cells and other proteins, which proceed to target and attack foreign bodies in the affected tissue. Aside from humans, histamine is found in virtually all animals. Principle of the Assay: Rat Histamine ELISA Kit employs a two-site sandwich ELISA to quantitate Histamine in samples. An antibody specific for Histamine has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any Histamine present is bound by the immobilized antibody. After removing any unbound substances, HRP-Conjugated Rat Histamine detection antibody is added to the wells. Following a wash to remove any unbound HRP reagent, a Chromogen solution is added to the wells and color develops in proportion to the amount of Histamine bound in the initial step. The color development is stopped and the intensity of the color is measured.
--	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/rat-elisa-kits/histamine/330229>