

Human Visinin-Like Protein 1 (VSNL1) ELISA Kit | VSNL1 elisa kit

Human Visinin-Like Protein 1 (VSNL1) ELISA Kit

CATALOG #
AAA330272

REACTIVITY
Human


PRODUCT SYNONYMS

Visinin-Like Protein 1 (VSNL1); Human Visinin-Like Protein 1 (VSNL1) ELISA Kit; VSNL1; HLP3; HPCAL3; HUVISL1; VILIP; VILIP-1; OTTHUMP00000200482; OTTHUMP00000200483; hippocalcin-like protein 3; VSNL1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	Human Visinin-like protein 1 (VSNL1) ELISA Kit has high sensitivity and excellent specificity for detection of Human VSNL1. No significant cross-reactivity or interference between Human VSNL1 and analogues was observed.
Sequence Length	191
Assay Type	Sandwich ELISA (Quantitative)
Samples	Cell Culture Supernatants, Serum, Plasma, Other Biological Fluids
Detection Method	Colorimetric
Usage Notes	* Do not mix components from different kit lots or use reagents beyond the kit expiration date. * Allow all reagents to warm to room temperature for at least 30 minutes before opening. * Pre-rinse the pipet tip with reagent, use fresh pipet tips for each sample, standard and reagent to avoid contamination. * Unused wells must be kept desiccated at 4 degree C in the sealed bag provided. * Mix Thoroughly is very important for the result. It is recommended using low frequency oscillator or slight hand shaking every 10 minutes. * It is recommended that all samples and standards be assayed in duplicate or triplicate.
Preparation and Storage	Store at 2-8 degree C.

IMAGES



Standard Curve (Sample)

Fig.1. Human Visinin-like protein 1 (VSNL1) Standard Curve.

ADDITIONAL INFORMATION

Related Product Information for VSNL1 elisa kit	Description: This Human Visinin-like protein 1 (VSNL1) ELISA Kit employs a two-site sandwich ELISA to quantitate VSNL1 in samples. An antibody specific for VSNL1 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any VSNL1 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for VSNL1 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of VSNL1 bound in the initial step. The color development is stopped and the intensity of the color is measured. Background: VSNL1 is a member of the visinin/recoverin subfamily of neuronal calcium sensor proteins. The protein is strongly expressed in granule cells of the cerebellum where it associates with membranes in a calcium-dependent manner and modulates intracellular signaling pathways of the central nervous system by directly or indirectly regulating the activity of adenylyl cyclase. Alternatively spliced transcript variants have been observed, but their full-length nature has not been determined. The (CA)n microsatellite repeat embedded in the 3-prime untranslated region of the gene was conserved between rat and human, along with the flanking DNA sequences. By genetic linkage studies in 11 CEPH families, they mapped the VSNL1 gene to 2p.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	51338696
NCBI GeneID	7447
UniProt Accession #	P62760
NCBI Official Full Name	Visinin-like protein 1
NCBI Official Synonym Full Names	visinin like 1
NCBI Official Symbol	VSNL1
NCBI Official Synonym Symbols	HLP3; VILIP; HPCAL3; HUVISL1; VILIP-1
NCBI Protein Information	visinin-like protein 1
UniProt Protein Name	Visinin-like protein 1
UniProt Gene Name	VSNL1
UniProt Synonym Gene Names	VISL1; VILIP; VLP-1; HLP3
UniProt Entry Name	VISL1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.