

Mouse Acetylcholinesterase (ACHE) ELISA Kit | ACHE elisa kit

Mouse Acetylcholinesterase (ACHE) ELISA Kit

CATALOG #
AAA332395

REACTIVITY
Mouse


PRODUCT SYNONYMS

Acetylcholinesterase (ACHE); Mouse Acetylcholinesterase (ACHE) ELISA Kit; AChE; ARACHE; N-ACHE; YT; OTTHUMP00000211347; OTTHUMP00000211349; OTTHUMP00000211356; acetylcholinesterase; apoptosis-related acetylcholinesterase; ACHE elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	Mouse Acetylcholinesterase (ACHE) ELISA Kit has high sensitivity and excellent specificity for detection of Mouse AChE. No significant cross-reactivity or interference between Mouse AChE and analogues was observed.
Sequence Length	614
Assay Type	Sandwich ELISA (Quantitative)
Samples	Cell Culture Supernatants, Serum, Plasma, Other Biological Fluids
Detection Method	Colorimetric
Usage Notes	* Do not mix components from different kit lots or use reagents beyond the kit expiration date. * Allow all reagents to warm to room temperature for at least 30 minutes before opening. * Pre-rinse the pipet tip with reagent, use fresh pipet tips for each sample, standard and reagent to avoid contamination. * Unused wells must be kept desiccated at 4 degree C in the sealed bag provided. * Mix Thoroughly is very important for the result. It is recommended using low frequency oscillator or slight hand shaking every 10 minutes. * It is recommended that all samples and standards be assayed in duplicate or triplicate.
Preparation and Storage	Store at 2-8 degree C.

IMAGES



Standard Curve (Sample)

Fig.1. Mouse Acetylcholinesterase (ACHE) Standard Curve.

ADDITIONAL INFORMATION

Related Product Information for ACHE elisa kit	Description: This Mouse Acetylcholinesterase (ACHE) ELISA Kit employs a two-site sandwich ELISA to quantitate AChE in samples. An antibody specific for AChE has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any AChE present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for AChE is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of AChE bound in the initial step. The color development is stopped and the intensity of the color is measured. Background: Acetylcholinesterase is an enzyme that degrades (through its hydrolytic activity) the neurotransmitter acetylcholine, producing choline and an acetate group. It is mainly found at neuromuscular junctions and cholinergic synapses in the central nervous system, where its activity serves to terminate synaptic transmission. AChE has a very high catalytic activity mdash; each molecule of AChE degrades about 5000 molecules of acetylcholine per second. The choline produced by the action of AChE is recycled mdash; it is transported, through reuptake, back into nerve terminals where it is used to synthesize new acetylcholine molecules.Acetylcholinesterase is also found on the red blood cell membranes, where it constitutes the Yt blood group antigen.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	586597902
NCBI GeneID	11423
NCBI Accession #	NP_001276939.1
NCBI GenBank Nucleotide #	NP_001276939.1
UniProt Accession #	P21836
NCBI Official Full Name	acetylcholinesterase
NCBI Official Synonym Full Names	acetylcholinesterase
NCBI Official Symbol	Ache
NCBI Protein Information	acetylcholinesterase
UniProt Protein Name	Acetylcholinesterase
UniProt Gene Name	Ache
UniProt Synonym Gene Names	AChE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.