

Rabbit anti-Human CLEC4D Polyclonal Antibody | anti-CLEC4D antibody

CLEC4D Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA36926	Rabbit	Human	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

CLEC4D; Polyclonal Antibody; CLEC4D Polyclonal Antibody; MCL; MPCL; CLEC6; CLEC-6; CLECSF8; anti-CLEC4D antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	215
Applicable Applications for anti-CLEC4D antibody	IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human CLEC4D
Calculated Molecular Weight	25kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



WB (Western Blot)
Western blot analysis of extracts of various cell lines, using CLEC4D antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 5s.

ADDITIONAL INFORMATION

Related Product Information for anti-CLEC4D antibody	This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signalling, glycoprotein turnover, and roles in inflammation and immune response. This gene is closely linked to other CTL/CTLD superfamily members on chromosome 12p13 in the natural killer gene complex region. [provided by RefSeq, Jul 2008]
Product Categories/Family for anti-CLEC4D antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	73916933
NCBI GeneID	338339
UniProt Accession #	Q8WXI8; Q8N5J5
Molecular Weight	215
NCBI Official Full Name	C-type lectin domain family 4 member D
NCBI Official Synonym Full Names	C-type lectin domain family 4, member D
NCBI Official Symbol	CLEC4D
NCBI Official Synonym Symbols	MCL; MPCL; CLEC6; CLEC-6; CLECSF8
NCBI Protein Information	C-type lectin domain family 4 member D; C-type lectin receptor; macrophage C-type lectin; C-type lectin-like receptor 6; C-type lectin superfamily member 8; C-type (calcium dependent, carbohydrate-recognition domain) lectin, superfamily member 8
UniProt Protein Name	C-type lectin domain family 4 member D
UniProt Gene Name	CLEC4D
UniProt Synonym Gene Names	CLECSF8; MCL; CLEC-6
UniProt Entry Name	CLC4D_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

