

Rabbit anti-Human, Rat CD3D Polyclonal Antibody | anti-CD3D antibody

CD3D Polyclonal Antibody

CATALOG # AAA36965	HOST Rabbit	REACTIVITY Human, Rat	APPLICATIONS Immunohistochemistry, Western Blot
------------------------------	-----------------------	---------------------------------	---


PRODUCT SYNONYMS

CD3D; Polyclonal Antibody; CD3D Polyclonal Antibody; CD3-DELTA; T3D; anti-CD3D antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	171
Applicable Applications for anti-CD3D antibody	IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human CD3D
Calculated Molecular Weight	19kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded rat spleen using CD3D antibody at dilution of 1:200 (40x lens).



WB (Western Blot)
Western blot analysis of extracts of Jurkat cells, using CD3D antibody at 1:500 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.

ADDITIONAL INFORMATION

Related Product Information for anti-CD3D antibody	The protein encoded by this gene is part of the T-cell receptor/CD3 complex (TCR/CD3 complex) and is involved in T-cell development and signal transduction. The encoded membrane protein represents the delta subunit of the CD3 complex, and along with four other CD3 subunits, binds either TCR alpha/beta or TCR gamma/delta to form the TCR/CD3 complex on the surface of T-cells. Defects in this gene are a cause of severe combined immunodeficiency autosomal recessive T-cell-negative/B-cell-positive/NK-cell-positive (SCIDBNK). Two transcript variants encoding different isoforms have been found for this gene. Other variants may also exist, but the full-length natures of their transcripts has yet to be defined. [provided by RefSeq, Feb 2009]
Product Categories/Family for anti-CD3D antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	115985
NCBI GeneID	915
UniProt Accession #	P04234; A8MVP6
Molecular Weight	171
NCBI Official Full Name	T-cell surface glycoprotein CD3 delta chain
NCBI Official Synonym Full Names	CD3d molecule, delta (CD3-TCR complex)
NCBI Official Symbol	CD3D
NCBI Official Synonym Symbols	T3D; IMD19; CD3-DELTA
NCBI Protein Information	T-cell surface glycoprotein CD3 delta chain; OKT3, delta chain; CD3 antigen, delta subunit; T-cell receptor T3 delta chain; CD3d antigen, delta polypeptide (TIT3 complex)
UniProt Protein Name	T-cell surface glycoprotein CD3 delta chain
UniProt Gene Name	CD3D
UniProt Synonym Gene Names	T3D
UniProt Entry Name	CD3D_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/cd3d-antibody-immunohistochemistry-western-blot-elisa/36965>