

Rabbit VEGFB Polyclonal Antibody | anti-VEGFB antibody

VEGFB Polyclonal Antibody

CATALOG # AAA36991	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

VEGFB; Polyclonal Antibody; VEGFB Polyclonal Antibody; VEGFL; VRF; Vascular endothelial growth factor B; VEGF-related factor; anti-VEGFB antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	207
Applicable Applications for anti-VEGFB antibody	IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human VEGFB
Calculated Molecular Weight	19kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IHC (Immunohiostchemistry)
Immunohistochemistry of paraffin-embedded human colon carcinoma using VEGFB antibody at dilution of 1:100 (40x lens).



WB (Western Blot)
Western blot analysis of extracts of various cell lines, using VEGFB Antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 90s.

ADDITIONAL INFORMATION

Related Product Information for anti-VEGFB antibody	Vascular endothelial growth factor (VEGF) is a highly specific mitogen for vascular endothelial cells. VEGF and its close relatives VEGF-B, -C and -D form a subfamily within PDGF family of growth factors, which belongs to the cysteine knot class of cytokines. Five VEGF isoforms of 121, 145, 165, 189 and 206 amino acids (VEGF121 -206) are generated as a result of alternative splicing from a single VEGF gene (1). The various VEGF forms bind to three tyrosine-kinase receptors, VEGFR-1, VEGFR-2 and VEGFR-3 which are expressed almost exclusively in endothelial cells. VEGFR-2 is the main angiogenic signal transducer for VEGF, while VEGFR-3 is specific for VEGF-C and -D and is necessary and sufficient for lymphangiogenic signaling. However, upon proteolytic processing VEGF-C and -D gain the ability to also bind and activate VEGFR-2 (2). Guided by the binding properties of the ligands, the VEGFRs are able to form both homodimers and heterodimers. Receptor dimerization is accompanied by activation of receptor kinase activity leading to receptor autophosphorylation. Phosphorylated receptors recruit interacting proteins and induce downstream signaling (3). Recently, tumor therapies based on neutralizing anti-VEGF antibodies and small molecule tyrosine kinase inhibitors targeting VEGFRs have been developed. These new strategies for tumor treatment show the clinical relevance of inhibiting VEGF signal transduction pathways that are exaggerated in pathological angiogenesis (4).
Product Categories/Family for anti-VEGFB antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	17380554
NCBI GeneID	7423
UniProt Accession #	P49765; Q16528
Molecular Weight	207
NCBI Official Full Name	Vascular endothelial growth factor B
NCBI Official Synonym Full Names	vascular endothelial growth factor B
NCBI Official Symbol	VEGFB
NCBI Official Synonym Symbols	VRF; VEGFL
NCBI Protein Information	vascular endothelial growth factor B; VEGF-related factor
UniProt Protein Name	Vascular endothelial growth factor B
UniProt Gene Name	VEGFB

UniProt Synonym Gene Names	VRF; VEGF-B; VRF
UniProt Entry Name	VEGFB_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/vegfb-antibody-immunohistochemistry-western-blot-elisa/36991>