

Rabbit anti-Human TRIM5 alpha Polyclonal Antibody | anti-TRIM5 antibody

TRIM5 alpha Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA39744	Rabbit	Human	Immunofluorescence, Western Blot, ELISA



PRODUCT SYNONYMS

TRIM5 alpha; Polyclonal Antibody; TRIM5 alpha Antibody; RNF88; TRIM5alpha; Tripartite motif-containing protein 5; RING finger protein 88; tripartite motif-containing 5; anti-TRIM5 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Specificity	Anti-TRIM5 alpha is human specific but should presumably also react with rhesus protein.
Purity/Purification	TRIM5 alpha Antibody is affinity chromatography purified via peptide column.
Form/Format	Liquid
Concentration	1 mg/mL (varies by lot)
Sequence Length	493
Applicable Applications for anti-TRIM5 antibody	IF (Immunofluorescence), WB (Western Blot), ELISA
Conjugate	Unconjugated
Immunogen	TRIM5 alpha antibody was raised against a synthetic peptide corresponding to amino acids near the C-terminus of rhesus monkey TRIM5 alpha.
Buffer	TRIM5 alpha Antibody is supplied in PBS containing 0.02% sodium azide.
Preparation and Storage	TRIM5 alpha antibody can be stored at 4 degree C for three months and -20 degree C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

IMAGES



IF (Immunofluorescence)
Immunofluorescence of TRIM5 alpha in Human Breast tissue with TRIM5 alpha antibody at 10 µg/mL.

IF (Immunofluorescence)
Immunofluorescence of TRIM5 alpha in human breast tissue with TRIM5 alpha antibody at 10 µg/mL.



WB (Western Blot)
Western blot analysis of TRIM5 alpha expression in (A) human stomach, (B) thymus, and (C) uterus tissue lysate with TRIM5 alpha antibody at 2 µg/ml.

ADDITIONAL INFORMATION

Related Product Information for anti-TRIM5 antibody	TRIM5 alpha Antibody: TRIM5 is a member of a broad family of otherwise unrelated proteins defined by the presence of a tripartite motif containing a RING domain, a B-box type 1, and a B-box type 2, followed by a coiled-coil region. TRIM5 has six alternately spliced isoforms, the longest of which is the alpha variant which also contains a carboxy-terminal B30.2 (SPRY) domain. Expression of TRIM5? variants from humans, rhesus monkeys, and African green monkeys enabled resistance to infection by various retroviruses including HIV-1, albeit at differing efficiencies. All TRIM5? variants could inhibit at least two different retroviruses, but not from those viruses isolated from the same species, suggesting that TRIM5? acts as a natural barrier to cross-species retrovirus transmission.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	14719418
NCBI GeneID	85363
NCBI Accession #	NP_149023
NCBI GenBank Nucleotide #	NM_033034.1
UniProt Accession #	Q9C035; Q2MLV4; Q2MLV8; Q2MLV9; Q2MLW1; Q2MLW3; Q2MLW4; A6NGQ1; A8WFA8; D3DQS8; D3DQS9; G3GJY1
Molecular Weight	29,677 Da
NCBI Official Full Name	tripartite motif protein TRIM5 isoform alpha
NCBI Official Synonym Full Names	tripartite motif containing 5

NCBI Official Symbol	TRIM5
NCBI Official Synonym Symbols	RNF88; TRIM5alpha
NCBI Protein Information	tripartite motif-containing protein 5; ring finger protein 88; tripartite motif protein TRIM5; tripartite motif containing 5 transcript variant iota; tripartite motif containing 5 transcript variant kappa
UniProt Protein Name	Tripartite motif-containing protein 5
UniProt Gene Name	TRIM5
UniProt Synonym Gene Names	RNF88
UniProt Entry Name	TRIM5_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/trim5-alpha-antibody-immunofluorescence-western-blot-elisa/39744>