

## Rat Interleukin 12, IL-12/P40 ELISA Kit | IL-12/P40 elisa kit

Rat Interleukin 12, IL-12/P40 ELISA Kit

CATALOG #  
**AAA41250**

REACTIVITY  
**Rat**


### PRODUCT SYNONYMS

Interleukin 12; IL-12/P40; Rat Interleukin 12; IL-12/P40 ELISA Kit; IL-12/P40 elisa kit

### PRODUCT SPECIFICATIONS

|                         |                                                                          |
|-------------------------|--------------------------------------------------------------------------|
| Reactivity              | Rat                                                                      |
| Sequence Length         | 253                                                                      |
| Samples                 | Serum, plasma, cell culture supernates, cell lysates, tissue homogenates |
| Assay Type              | Quantitative Sandwich                                                    |
| Detection Range         | 2pg/ml - 600pg/ml                                                        |
| Sensitivity             | 1.034pg/ml                                                               |
| Intra-Assay             | CV<8%                                                                    |
| Inter-Assay             | CV<10%                                                                   |
| Preparation and Storage | Store at 2 to 8 degree C for 6 months.                                   |

### IMAGES



Standard Curve (Sample)

### ADDITIONAL INFORMATION

#### Related Product Information for IL-12/P40 elisa kit

**Intended Uses:** This sandwich kit is for the accurate quantitative detection of Rat Interleukin 12 (also known as IL-12/P40) in serum, plasma, cell culture supernates, cell lysates, tissue homogenates.

**Principles of the Assay:** This kit is an Enzyme-Linked Immunosorbent Assay (ELISA). The plate has been pre-coated with Rat IL-12/P40 antibody. IL-12/P40 present in the sample is added and binds to antibodies coated on the wells. And then biotinylated Rat IL-12/P40 Antibody is added and binds to IL-12/P40 in the sample. Then Streptavidin-HRP is added and binds to the Biotinylated IL-12/P40 antibody. After incubation unbound Streptavidin-HRP is washed away during a washing step. Substrate solution is then added and color develops in proportion to the amount of Rat IL-12/P40. The reaction is terminated by addition of acidic stop solution and absorbance is measured at 450 nm.

NCBI AND UNIPROT INFORMATION

|                                  |                                |
|----------------------------------|--------------------------------|
| NCBI GI #                        | 4323579                        |
| NCBI GeneID                      | 3592                           |
| UniProt Accession #              | P29459; Q96QZ1                 |
| Molecular Weight                 | 24,874 Da                      |
| NCBI Official Full Name          | interleukin 12                 |
| NCBI Official Synonym Full Names | interleukin 12A                |
| NCBI Official Symbol             | IL12A                          |
| NCBI Official Synonym Symbols    | P35; CLMF; NFSK; NKSF1; IL-12A |
| NCBI Protein Information         | interleukin-12 subunit alpha   |
| UniProt Protein Name             | Interleukin-12 subunit alpha   |
| UniProt Gene Name                | IL12A                          |
| UniProt Synonym Gene Names       | NKSF1; IL-12A; CLMF p35; NKSF1 |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://www.aaabiotech.com/rat-elisa-kits/interleukin-12-il-12-p40/41250>