

SIRPalpha recombinant protein

Human SIRPalpha Protein, mFc Tag

CATALOG #
AAA47354

HOST
HEK293 cells

PRODUCT SYNONYMS

SIRPalpha; Human SIRPalpha Protein; mFc Tag; SHPS1; SIRPA; CD172A; BIT; MFR; MYD1; P84; PTPNS; SIRPalpha recombinant protein

PRODUCT SPECIFICATIONS

Host	HEK293 cells
Purity/Purification	>95%. Affinity purification
Form/Format	Lyophilized from sterile PBS, pH7.4. Normally 5%-8% trehalose is added as protectants before lyophilization.
Sequence	SIRPalpha(Glu31-Arg3 70)+mFc(Pr o99-Lys330)
Origin	Human
Reconstitution	Reconstitute with deionized water
Tag	C-Mouse Fc tag
Preparation and Storage	Store at -80 degree C for 12 months (Avoid repeated freezing and thawing)

IMAGES



SDS-PAGE

Figure 1. Human SIRPalpha Protein, mFc Tag on SDS-PAGE under reducing condition.



ELISA

Figure 1. Human SIRPalpha Protein, mFc Tag on SDS-PAGE under reducing condition.

ADDITIONAL INFORMATION

Related Product Information for SIRPalpha recombinant protein	Tyrosine-protein phosphatase non-receptor type substrate 1 (SHPS1) is also known as CD172 antigen-like family member A (CD172a), Macrophage fusion receptor, MyD-1 antigen, Signal-regulatory protein alpha (SIRPA or SIRP alpha) or p84, is a member of the SIRP family, and also belongs to the immunoglobulin superfamily. SIRP alpha is Ubiquitous and highly expressed in brain. SIRPA/CD172a is immunoglobulin-like cell surface receptor for CD47 and acts as docking protein and induces translocation of PTPN6, PTPN11 and other binding partners from the cytosol to the plasma membrane. SIRPA/SHPS-1 supports adhesion of cerebellar neurons, neurite outgrowth and glial cell attachment and may play a key role in intracellular signaling during synaptogenesis and in synaptic function By similarity. SIRPA/MyD1 involved in the negative regulation of receptor tyrosine kinase-coupled cellular responses induced by cell adhesion, growth factors or insulin and mediates negative regulation of phagocytosis, mast cell activation and dendritic cell activation. CD47 binding prevents maturation of immature dendritic cells and inhibits cytokine production by mature dendritic cells.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	91105764
NCBI GeneID	140885
NCBI Accession #	NP_001035111.1
NCBI GenBank Nucleotide #	NM_001040022.1
UniProt Accession #	P78324; O00683; O43799; Q8N517; Q8TAL8; Q9H0Z2; Q9UDX2; Q9UIJ6; Q9Y4U9; A2A2E1; A8K411; B2R6C3
Molecular Weight	54,967 Da
NCBI Official Full Name	tyrosine-protein phosphatase non-receptor type substrate 1
NCBI Official Synonym Full Names	signal-regulatory protein alpha
NCBI Official Symbol	SIRPA
NCBI Official Synonym Symbols	BIT; MFR; P84; SIRP; MYD-1; SHPS1; CD172A; PTPNS1
NCBI Protein Information	tyrosine-protein phosphatase non-receptor type substrate 1; myd-1 antigen; inhibitory receptor SHPS-1; macrophage fusion receptor; CD172 antigen-like family member A; tyrosine phosphatase SHP substrate 1; brain-immunoglobulin-like molecule with tyrosine-b
UniProt Protein Name	Tyrosine-protein phosphatase non-receptor type substrate 1
UniProt Gene Name	SIRPA
UniProt Synonym Gene Names	BIT; MFR; MYD1; PTPNS1; SHPS1; SIRP; SHP substrate 1; SHPS-1; Bit; Sirp-alpha-1; Sirp-alpha-2
UniProt Entry Name	SHPS1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.