

Rabbit anti-Human CD30 Monoclonal Antibody | anti-CD30 antibody

Anti-CD30 antibody (DM104), Rabbit mAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA47429	Rabbit	Human	Flow Cytometry, Functional Assay, ELISA


PRODUCT SYNONYMS

CD30; Monoclonal Antibody; Anti-CD30 antibody (DM104); Rabbit mAb; TNFRSF8; D1S166E; Ki-1; anti-CD30 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	DM104
Purity/Purification	Purified from cell culture supernatant by affinity chromatography
Form/Format	Lyophilized from sterile PBS, pH7.4. Normally 5%-8% trehalose is added as protectants before lyophilization. 0.1% Procline 300
Applicable Applications for anti-CD30 antibody	FCM/FACS (Flow Cytometry), ELISA
Immunogen	Recombinant human CD30 (Phe19-Lys379) produced by using human HEK293 cells
Reconstitution	Reconstitute with deionized water
Preparation and Storage	Store at -20 degree C for 12 months (Avoid repeated freezing and thawing)

IMAGES



FCM/FACS (Flow Cytometry)

Figure 1. ELISA plate pre-coated by 2 ug/ml (100 ul/well) Human CD30 protein, His tagged protein PME100481 can bind Rabbit anti-CD30 monoclonal antibody (clone: DM104) in a linear range of 0.12-80 ng/ml.



ELISA

Figure 1. ELISA plate pre-coated by 2 ug/ml (100 ul/well) Human CD30 protein, His tagged protein PME100481 can bind Rabbit anti-CD30 monoclonal antibody (clone: DM104) in a linear range of 0.12-80 ng/ml.

ADDITIONAL INFORMATION

Related Product Information for anti-CD30 antibody	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is expressed by activated, but not by resting, T and B cells. TRAF2 and TRAF5 can interact with this receptor, and mediate the signal transduction that leads to the activation of NF-kappaB. This receptor is a positive regulator of apoptosis, and also has been shown to limit the proliferative potential of autoreactive CD8 effector T cells and protect the body against autoimmunity. Two alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	597709795
NCBI GeneID	943
NCBI Accession #	NP_001234.3
NCBI GenBank Nucleotide #	NM_001243.4
UniProt Accession #	P28908; Q6P4D9; B1AN79; B9EGD9; D3YTD8
Molecular Weight	50,935 Da
NCBI Official Full Name	tumor necrosis factor receptor superfamily member 8 isoform 1
NCBI Official Synonym Full Names	tumor necrosis factor receptor superfamily member 8
NCBI Official Symbol	TNFRSF8
NCBI Official Synonym Symbols	CD30; Ki-1; D1S166E
NCBI Protein Information	tumor necrosis factor receptor superfamily member 8
UniProt Protein Name	Tumor necrosis factor receptor superfamily member 8
UniProt Gene Name	TNFRSF8
UniProt Synonym Gene Names	CD30; D1S166E
UniProt Entry Name	TNR8_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/cd30-antibody-clone-dm104-flow-cytometry-elisa/47429>