

Rabbit anti-Human IL2RA Monoclonal Antibody | anti-IL2RA antibody

Anti-IL2RA antibody (DM148), Rabbit mAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA47520	Rabbit	Human	Flow Cytometry, Functional Assay, ELISA


PRODUCT SYNONYMS

IL2RA; Monoclonal Antibody; Anti-IL2RA antibody (DM148); Rabbit mAb; CD25; p55; IL2-RA; IL-2-RA; anti-IL2RA antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Purity/Purification	Purified from cell culture supernatant by affinity chromatography
Form/Format	Liquid. 1xPBS
Applicable Applications for anti-IL2RA antibody	FCM/FACS (Flow Cytometry), ELISA
Preparation and Storage	Store at -20 degree C for 12 months (Avoid repeated freezing and thawing)

IMAGES



FCM/FACS (Flow Cytometry)

Figure 1. ELISA plate pre-coated by 1 ug/ml (100 ul/well) Human IL2RA protein, His tagged protein PME100098 can bind Rabbit anti-IL2RA monoclonal antibody (clone: DM148) in a linear range of 5-100 ng/ml.



ELISA

Figure 1. ELISA plate pre-coated by 1 ug/ml (100 ul/well) Human IL2RA protein, His tagged protein PME100098 can bind Rabbit anti-IL2RA monoclonal antibody (clone: DM148) in a linear range of 5-100 ng/ml.

ADDITIONAL INFORMATION

Related Product Information for anti-IL2RA antibody

The interleukin 2 (IL2) receptor alpha (IL2RA) and beta (IL2RB) chains, together with the common gamma chain (IL2RG), constitute the high-affinity IL2 receptor. Homodimeric alpha chains (IL2RA) result in low-affinity receptor, while homodimeric beta (IL2RB) chains produce a medium-affinity receptor. Normally an integral-membrane protein, soluble IL2RA has been isolated and determined to result from extracellular proteolysis. Alternately-spliced IL2RA mRNAs have been isolated, but the significance of each is presently unknown. Mutations in this gene are associated with interleukin 2 receptor alpha deficiency.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/il2ra-antibody-flow-cytometry-elisa/47520>