

Human Platelet-Derived Growth Factor AA ELISA Kit | PDGF-AA elisa kit

Human Platelet-Derived Growth Factor AA (PDGF-AA) ELISA Kit

CATALOG #
AAA55655

REACTIVITY
Human

PRODUCT SYNONYMS

Platelet-Derived Growth Factor AA; Human Platelet-Derived Growth Factor AA (PDGF-AA) ELISA Kit; PDGF-AA elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Human PDGF-AA. No significant cross-reactivity or interference between Human PDGF-AA and analogues was observed.
Samples	Serum, plasma, urine, saliva and other biological fluids
Assay Type	Quantitative Sandwich
Detection Range	1.56 ng/mL - 100 ng/mL
Sensitivity	0.78 ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay) Three samples of known concentration were tested twenty times on one plate to assess intra-assay precision. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays) Three samples of known concentration were tested in forty separate assays to assess inter-assay precision. CV (%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	Store at 2-8 degree C.

ADDITIONAL INFORMATION

Related Product Information for PDGF-AA elisa kit

Intended Uses: For the quantitative detection of Human Platelet-Derived Growth Factor AA (PDGF-AA) concentration in serum, plasma, urine, saliva and other biological fluids.

Principle of the Assay: This assay employs a two-site sandwich ELISA to quantitate PDGF-AA in Human serum, plasma, urine, saliva. An antibody specific for PDGF-AA has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any PDGF-AA present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for PDGF-AA is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of PDGF-AA bound in the initial step. The color development is stopped and the intensity of the color is measured.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/pdgf-aa-human-elisa-kits/platelet-derived-growth-factor-aa/55655>