

Human FAS / APO-1 / CD95 ELISA Kit | FAS / APO-1 / CD95 elisa kit

FAS / APO-1 / CD95 Human ELISA Kit

CATALOG # AAA58881	REACTIVITY Human	APPLICATIONS ELISA
------------------------------	----------------------------	------------------------------


PRODUCT SYNONYMS

FAS / APO-1 / CD95; FAS / APO-1 / CD95 Human ELISA Kit; Human FAS / APO-1 / CD95; FAS / APO-1 / CD95 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Assay Type	Sandwich
Detection Range	31.2 pg/ml-2000 pg/ml
Sensitivity	< 3pg/ml
Applicable Applications for FAS / APO-1 / CD95 elisa kit	ELISA
Preparation and Storage	Store at 2-8 degree C for 4 months, or at -20 degree C for 8 months.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FAS / APO-1 / CD95 elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-FAS polyclonal antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-FAS polyclonal antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. Avidin-Biotin-Peroxidase Complex was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the FAS amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of FAS can be calculated.

Background: Fas, also known as CD95, APO-1 and TNFRSF6, is a member of the TNF-receptor superfamily. This receptor contains a death domain. It has been shown to play a central role in the physiological regulation of programmed cell death, and it has been implicated in the pathogenesis of various malignancies and diseases of the immune system. The interaction of Fas with its ligand allows the formation of a death-inducing signaling complex that includes Fas-associated death domain protein (FADD), caspase 8, and caspase 10. The autoproteolytic processing of the caspases in the complex triggers a downstream caspase cascade and leads to apoptosis. This receptor has been also shown to activate NF-kappaB, MAPK3/ERK1, and MAPK8/JNK, and it is found to be involved in transducing the proliferating signals in normal diploid fibroblast and T cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	887458
NCBI GeneID	355
UniProt Accession #	P25445; Q14292; Q14293; Q14294; Q14295; Q16652; Q5T9P1; Q5T9P2; Q5T9P3; Q6SSE9; A9UJX4; B6VNV4
Molecular Weight	37,732 Da
NCBI Official Full Name	Fas/Apo-1/CD95
NCBI Official Synonym Full Names	Fas cell surface death receptor
NCBI Official Symbol	FAS
NCBI Official Synonym Symbols	APT1; CD95; FAS1; APO-1; FASTM; ALPS1A; TNFRSF6
NCBI Protein Information	tumor necrosis factor receptor superfamily member 6; Fas AMA; FAS 827dupA; CD95 antigen; FASLG receptor; apoptosis antigen 1; Delta Fas/APO-1/CD95; APO-1 cell surface antigen; TNF receptor superfamily member 6; apoptosis-mediating surface antigen FAS; Fas (TNF receptor superfamily, member 6); tumor necrosis factor receptor superfamily, member 6
UniProt Protein Name	Tumor necrosis factor receptor superfamily member 6
UniProt Gene Name	FAS
UniProt Synonym Gene Names	APT1; FAS1; TNFRSF6
UniProt Entry Name	TNR6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-elisa-kits/fas-apo-1-cd95/58881>