

Mouse E-Cadherin ELISA Kit | CDH1 elisa kit

E-Cadherin Mouse ELISA Kit

CATALOG # AAA59017	REACTIVITY Mouse	APPLICATIONS ELISA
------------------------------	----------------------------	------------------------------


PRODUCT SYNONYMS

E-Cadherin; E-Cadherin Mouse ELISA Kit; Mouse E-Cadherin; CDH1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Assay Type	Sandwich
Detection Range	156 pg/ml-10,000 pg/ml
Sensitivity	< 15pg/ml
Applicable Applications for CDH1 elisa kit	ELISA
Preparation and Storage	Store at 2-8 degree C for 4 months, or at -20 degree C for 8 months.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CDH1 elisa kit	Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-E-Cadherin polyclonal antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-E-Cadherin polyclonal antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. Avidin-Biotin-Peroxidase Complex was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the E-Cadherin amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of E-Cadherin can be calculated. Background: Cadherin-1 also known as CAM 120/80 or epithelial cadherin (E-cadherin) or uvomorulin is a protein that in humans is encoded by the CDH1 gene. E-cadherin is a Ca2+-dependent epithelial cell-cell adhesion molecule. Downregulation of E-cadherin expression often correlates with strong invasive potential and poor prognosis of human carcinomas. It has 16 exons spanning approximately 100 kb of genomic DNA. The gene structure is similar to that of other cadherins. E-cadherin plays a central part in the process of epithelial morphogenesis. Expression of this protein is downregulated during the acquisition of metastatic potential at late stages of epithelial tumour progression.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	1617084
NCBI GeneID	999
UniProt Accession #	P12830; Q13799; Q14216; Q15855; Q16194; Q4PJ14; A8K1U7
Molecular Weight	97,456 Da
NCBI Official Full Name	E-cadherin
NCBI Official Synonym Full Names	cadherin 1, type 1, E-cadherin (epithelial)
NCBI Official Symbol	CDH1
NCBI Official Synonym Symbols	UVO; CDHE; ECAD; LCAM; Arc-1; CD324
NCBI Protein Information	cadherin-1; CAM 120/80; E-Cadherin; uvomorulin; cell-CAM 120/80; epithelial cadherin; cadherin 1, E-cadherin (epithelial); calcium-dependent adhesion protein, epithelial
UniProt Protein Name	Cadherin-1
UniProt Gene Name	CDH1
UniProt Synonym Gene Names	CDHE; UVO; E-cadherin
UniProt Entry Name	CADH1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.