

Rabbit anti-Human IgM Polyclonal Antibody | anti-IgM antibody

IgM

CATALOG # AAA59434	HOST Rabbit	REACTIVITY Human
------------------------------	-----------------------	----------------------------


PRODUCT SYNONYMS

IgM; Polyclonal Antibody; anti-IgM antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Form/Format	IgM is a purified immunoglobulin fraction of rabbit antiserum that is filter sterilized and diluted in buffer pH 7.5, containing BSA and sodium azide as a preservative.
Control	Tonsil, Lymph Node
Localization	Cytoplasmic
Reactivity Note	Paraffin, Frozen
Preparation and Storage	Store at 2 to 8 degree C in the dark.

IMAGES



IHC (Immunohistochemistry)

Antibody Type	Dilution	Volume/QTY
Prediluted	Ready-To-Use	3.0 ml
Prediluted	Ready-To-Use	7.0 ml
Prediluted	Ready-To-Use	15.0 ml
Concentrated	1:100-1:500	0.1 ml
Concentrated	1:100-1:500	0.5 ml
Concentrated	1:100-1:500	1.0 ml
Control Slides		5

Dilution Info

ADDITIONAL INFORMATION

Related Product Information for anti-IgM antibody	IgM forms polymers where multiple immunoglobulins are covalently linked together with disulfide bonds, normally as a pentamer or occasionally as a hexamer. It has a large molecular mass of approximately 900 kDa (in its pentamer form). In germline cells, the gene segment encoding the constant region of the heavy chain is positioned first among other constant region gene segments. For this reason, IgM is the first immunoglobulin expressed by mature B-cells. IgM antibody reacts with surface immunoglobulin IgM mu chains. IgM is one of the predominant surface immunoglobulins on B-lymphocytes, and is useful when identifying Leukemias, Plasmacytomas, and B-cell lineage derived Hodgkin's Lymphomas. Due to the restricted expression of heavy and light chains in these diseases, demonstration of B-cell Lymphomas is possible with clonal gene-rearrangement studies.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	685030
NCBI Official Full Name	IgM

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/igm-antibody-elisa/59434>