

anti-Goat IgG+HRP Secondary Antibody | IgG+HRP secondary antibody

anti-Goat IgG+HRP

CATALOG # AAA63022	HOST Rabbit	REACTIVITY Goat	APPLICATIONS Western Blot
------------------------------	-----------------------	---------------------------	-------------------------------------

PRODUCT SYNONYMS

anti-Goat IgG+HRP; IgG+HRP secondary antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Goat
Form/Format	Each vial contains 200 ug in 0.2 mL affinity purified anti-Goat-IgG, in a buffer containing 50 mM HEPES pH 7.0, 0.1 M sodium chloride, 0.2% BSA and 0.01% Thimerosal.
Applicable Applications for IgG+HRP secondary antibody	WB (Western Blot)
Origin	Rabbits were immunized with highly purified Goat IgG. Antibodies were affinity purified and conjugated with horseradish peroxidase (HRP).
Preparation and Storage	Store this product at 4°C, do not freeze. The product is stable for one year from the date of shipment.

ADDITIONAL INFORMATION

Related Product Information for IgG+HRP secondary antibody	HRP conjugated affinity purified Rabbit anti-Goat IgG h+l.
References	1.) Gertsberg I, Hellman V, Fainshtein M, Weil S, Silberberg SD, Danilenko M, and Priel Z. 2004. Intracellular Ca ²⁺ Regulates the Phosphorylation and the Dephosphorylation of Ciliary Proteins Via the NO Pathway. The Journal of General Physiology 124: 527-540.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.