

Mouse Tissue Factor Pathway Inhibitor (TFPI) ELISA Kit | TFPI elisa kit

Mouse Tissue Factor Pathway Inhibitor (TFPI) ELISA Kit

CATALOG #
AAA65611

REACTIVITY
Mouse


PRODUCT SYNONYMS

Tissue Factor Pathway Inhibitor (TFPI); Mouse Tissue Factor Pathway Inhibitor (TFPI) ELISA Kit; TFI; EPI; LACI; TFPI1; Lipoprotein-Associated Coagulation Inhibitor; Extrinsic pathway inhibitor; TFPI elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of TFPI. No significant cross-reactivity or interference between TFPI and analogues was observed.
Sequence Length	253
Samples	Plasma, urine, cell culture supernates and other biological fluids.
Assay Type	Sandwich
Detection Range	78.125-5000pg/mL
Sensitivity	33pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level TFPI were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level TFPI were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TFPI elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of TFPI in mouse Plasma, urine, cell culture supernates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TFPI. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TFPI. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TFPI, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of TFPI in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	33859644
NCBI GeneID	21788
NCBI Accession #	NP_035706.1
NCBI GenBank Nucleotide #	NM_011576.1
UniProt Accession #	O54819; Q9Z2U8
Molecular Weight	28,949 Da
NCBI Official Full Name	tissue factor pathway inhibitor isoform a
NCBI Official Synonym Full Names	tissue factor pathway inhibitor
NCBI Official Symbol	Tfpi
NCBI Official Synonym Symbols	EPI; LACI; AW552122; A630013F22Rik
NCBI Protein Information	tissue factor pathway inhibitor
UniProt Protein Name	Tissue factor pathway inhibitor
UniProt Gene Name	Tfpi
UniProt Synonym Gene Names	TFPI; EPI; LACI

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/mouse-elisa-kits/tissue-factor-pathway-inhibitor-tfpi/65611>