

Human Tenascin X (TNX) ELISA Kit | TNX elisa kit

Human Tenascin X (TNX) ELISA Kit

CATALOG #
AAA66652

REACTIVITY
Human


PRODUCT SYNONYMS

Tenascin X (TNX); Human Tenascin X (TNX) ELISA Kit; TN-X; TNXB; TNX-B; TNXA; TNX-A; TNXB1; TNXB2; HXBL; Hexabrachion-like protein; TNX elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of TNX. No significant cross-reactivity or interference between TNX and analogues was observed.
Sequence Length	4242
Samples	Serum, plasma, tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	1.56-100ng/mL
Sensitivity	0.53ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level TNX were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level TNX were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TNX elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of TNX in human serum, plasma, tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TNX. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TNX. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TNX, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of TNX in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	188528648
NCBI GeneID	7148
NCBI Accession #	NP_061978.6
NCBI GenBank Nucleotide #	NM_019105.6
UniProt Accession #	P22105; P78530; P78531; Q08424; Q08AM0; Q08AM1; Q59GU7; Q5SQD3; Q5ST74; Q7L8Q4; Q8N4R1; Q9NPK9
Molecular Weight	458,535 Da
NCBI Official Full Name	tenascin-X isoform 1
NCBI Official Synonym Full Names	tenascin XB
NCBI Official Symbol	TNXB
NCBI Official Synonym Symbols	XB; TNX; XBS; EDS3; HXBL; TENX; TN-X; VUR8; TNXB1; TNXB2; TNXBS
NCBI Protein Information	tenascin-X
UniProt Protein Name	Tenascin-X
UniProt Gene Name	TNXB
UniProt Synonym Gene Names	HXBL; TNX; TNXB1; TNXB2; XB; TN-X

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.