

Human Aspartate Aminotransferase (AST) ELISA Kit | AST elisa kit

Human Aspartate Aminotransferase (AST) ELISA Kit

CATALOG #
AAA67197

REACTIVITY
Human


PRODUCT SYNONYMS

Aspartate Aminotransferase (AST); Human Aspartate Aminotransferase (AST) ELISA Kit; AST elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of AST. No significant cross-reactivity or interference between AST and analogues was observed.
Sequence Length	413
Samples	Serum, plasma, tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	0.123ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level AST were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level AST were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for AST elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of AST in human serum, plasma, tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to AST. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to AST. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain AST, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of AST in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4504067
NCBI GeneID	2805
NCBI Accession #	NP_002070.1
NCBI GenBank Nucleotide #	NM_002079.2
UniProt Accession #	P17174; Q5VW80; B2R6R7; B7Z7E9
Molecular Weight	44,147 Da
NCBI Official Full Name	aspartate aminotransferase, cytoplasmic
NCBI Official Synonym Full Names	glutamic-oxaloacetic transaminase 1
NCBI Official Symbol	GOT1
NCBI Official Synonym Symbols	AST1; cCAT; GIG18; cAspAT; ASTQTL1
NCBI Protein Information	aspartate aminotransferase, cytoplasmic
UniProt Protein Name	Aspartate aminotransferase, cytoplasmic
UniProt Gene Name	GOT1
UniProt Synonym Gene Names	cAspAT; cCAT

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.