

Porcine Leptin (LEP) ELISA Kit | LEP elisa kit

Porcine Leptin (LEP) ELISA Kit

CATALOG #
AAA68275

REACTIVITY
Porcine


PRODUCT SYNONYMS

Leptin (LEP); Porcine Leptin (LEP) ELISA Kit; LEP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Porcine
Specificity	This assay has high sensitivity and excellent specificity for detection of LEP. No significant cross-reactivity or interference between LEP and analogues was observed.
Sequence Length	167
Samples	Serum, plasma, tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	0.124ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level LEP were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level LEP were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LEP elisa kit	Intended Uses: This kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of LEP in porcine serum, plasma, tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to LEP. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to LEP. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain LEP, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of LEP in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	55741433
NCBI GeneID	396832
NCBI Accession #	NP_999005.1
NCBI GenBank Nucleotide #	NM_213840.1
UniProt Accession #	Q29406; O19095; Q95251
Molecular Weight	18,661 Da
NCBI Official Full Name	leptin
NCBI Official Symbol	LEP
NCBI Official Synonym Symbols	OB; OBS
NCBI Protein Information	leptin
UniProt Protein Name	Leptin
UniProt Gene Name	LEP
UniProt Synonym Gene Names	OB; OBS

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.