# Rat anti-Mouse CD71 Monoclonal Antibody | anti-CD71 antibody

Anti-Mouse CD71, Purified (Clone R17217.1.4) (rat IgG2a)

| CATALOG # | HOST | REACTIVITY | APPLICATIONS |
|---|---|---|---|
| **AAA74199** | **Rat** | **Mouse** | **Immunohistochemistry** |

## PRODUCT SYNONYMS

CD71; Monoclonal Antibody; Anti-Mouse CD71; Purified (Clone R17217.1.4) (rat IgG2a); Purified Anti-Mouse CD71 Monoclonal Antibody; anti-CD71 antibody

## PRODUCT SPECIFICATIONS

| | |
|---|---|
| **Host** | Rat |
| **Reactivity** | Mouse |
| **Clonality** | Monoclonal |
| **Isotype** | Rat IgG2a |
| **Clone Number** | R17217.1.4 |
| **Specificity** | CD71 (Transferrin Receptor) (Mouse CD71) |
| **Form/Format** | Purified |
| **Concentration** | Antibody Concentration: 0.2 mg/ml (varies by lot) |
| **Applicable Applications for anti-CD71 antibody** | IHC (Immunohistochemistry) |
| **Presentation** | 200 ug purified Ig buffered in PBS and 0.1% NaN3. |
| **Preparation and Storage** | Store at 4 degree C. For long term storage, aliquot and freeze unused portion at -20 degree C in volumes appropriate for single usage. Avoid freeze/thaw cycles.Check label for expiry date. |

## ADDITIONAL INFORMATION

| | |
|---|---|
| **Related Product Information for anti-CD71 antibody** | anti-mouse CD71 monoclonal antibody reacts with the transferrin receptor (CD71). The expression of CD71 is up-regulated after B cell or T cell activation. This antibody is suitable for use in flow cytometry. |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

**AAA Biotech** | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: https://www.aaabiotech.com/monoclonal/cd71-antibody-clone-r17217-1-4-immunohistochemistry-elisa/74199