

anti-Mouse IgG (H+L) (human absorbed) Polyclonal Antibody

Anti-Mouse IgG (H+L) (human absorbed), FITC, (Polyclonal) (goat IgG)

CATALOG #
AAA74232

REACTIVITY
Mouse

PRODUCT SYNONYMS

IgG (H+L) (human absorbed); Polyclonal Antibody; Anti-Mouse IgG (H+L) (human absorbed); FITC; (Polyclonal) (goat IgG); FITC Goat Anti-Mouse IgG (H+L) Human Adsorbed; anti-IgG (H+L) (human absorbed) antibody

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Clonality	Polyclonal
Preparation	Antibodies were affinity purified by column chromatography and adsorbed to remove cross reactivity to human immunoglobulins. The resulting antibody was conjugated with FITC to provide the optimal fluorochrome to protein ratio for flow cytometry. Any free dye is removed by column chromatography
Buffers and Preservatives	This reagent is provided in 10 mM Sodium phosphate, 0.15 M Sodium chloride, and it contains 0.05% sodium azide as a preservative. A highly purified grade of BSA has been added as a stabilizing protein to bring the final protein concentration to 4-5 mg/ml after conjugation.
Preparation and Storage	Stable at 4 degree C. For long term storage, aliquot and freeze unused portions at -20 degree C in volumes appropriate for single usage. Avoid repeated freeze/thaw cycles and prolonged exposure to light. If the reagent is being diluted, it is recommended that only the quantity to be used within one week be diluted.

ADDITIONAL INFORMATION

Related Product Information for anti-IgG (H+L) (human absorbed) antibody	FITC Goat anti-Mouse IgG (H+L), human adsorbed
--	--

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.