

anti-Mouse IgG (H+L) (rat absorbed) Polyclonal Antibody

Anti-Mouse IgG (H+L) (rat absorbed), FITC, (Polyclonal) (goat IgG)

CATALOG #
AAA74233

REACTIVITY
Mouse

PRODUCT SYNONYMS

IgG (H+L) (rat absorbed); Polyclonal Antibody; Anti-Mouse IgG (H+L) (rat absorbed); FITC; (Polyclonal) (goat IgG); FITC Goat Anti-Mouse IgG (H+L) Rat Adsorbed; anti-IgG (H+L) (rat absorbed) antibody

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Clonality	Polyclonal
Concentration	0.5mg (varies by lot)
Preparation	Antibodies were affinity purified by column chromatography and adsorbed to remove cross reactivity to rat immunoglobulins. The resulting antibody was conjugated with FITC to provide the optimal fluorochrome to protein ratio for flow cytometry, cell and tissue staining use. Any free dye is removed by column chromatography.
Buffers and Preservatives	This reagent contains 0.1% NaN ₃ . A highly purified grade of BSA has been added as a stabilizing protein to bring the final concentration to 4-5mg/ml after conjugation.
Preparation and Storage	Stable at 4 degree C. For long term storage, aliquot and freeze unused portions at -20 degree C in volumes appropriate for single usage. Avoid repeated freeze/thaw cycles and prolonged exposure to light. If the reagent is being diluted, it is recommended that the quantity to be used within one week be diluted. Check label for expiry date.

ADDITIONAL INFORMATION

Related Product Information for anti-IgG (H+L) (rat absorbed) antibody	FITC Goat anti-mouse IgG (H+L) rat adsorbed
--	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/igg-hl-rat-absorbed-antibody-elisa/74233>