

Rabbit Toxoplasma gondii Polyclonal Antibody

Toxoplasma gondii antibody (FITC)

CATALOG # AAA75058	HOST Rabbit	REACTIVITY Toxoplasma gondii 100%
------------------------------	-----------------------	---

PRODUCT SYNONYMS

Toxoplasma gondii; Polyclonal Antibody; Toxoplasma gondii antibody (FITC); Polyclonal Toxoplasma gondii; Anti-Toxoplasma gondii; T. gondii; anti-Toxoplasma gondii antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Toxoplasma gondii 100%
Clonality	Polyclonal
Specificity	Toxoplasma gondii
Form/Format	Purified by chromatography, FITC conjugated, in PBS buffer, pH 7.2, containing 0.1% Sodium Azide and 1% BSA as a stabilizer.
Concentration	1:1000 by Indirect IFA; 5.0mg/ml (varies by lot)
Biological Significance	Toxoplasma gondii is a species of parasitic protozoa in the genus Toxoplasma. The definitive host of T. gondii is the cat, but the parasite can be carried by many warm-blooded animals (birds or mammals, including humans). Toxoplasmosis, the disease of which T. gondii is the causative agent, is usually minor and self-limiting but can have serious or even fatal effects on a fetus whose mother first contracts the disease during pregnancy or on an immunocompromised human or cat.
Biohazard Information	This product contains sodium azide as preservative. Although the amount of sodium azide is very small appropriate care must be taken when handling this product.
Tag/Conjugate	FITC
Immunogen	Toxoplasma gondii, RH strain
Preparation and Storage	Store at 4 degree C for short term storage. Aliquot and store at -20 degree C for long term storage. Avoid repeated freeze/thaw cycles.

ADDITIONAL INFORMATION

Related Product Information for anti-Toxoplasma gondii antibody	Rabbit polyclonal Toxoplasma gondii antibody (FITC) conjugated
Product Categories/Family for anti-Toxoplasma gondii antibody	Infectious Disease ; Conjugated Polyclonal Antibodies

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.