

Human BCL2-associated X protein ELISA Kit | BAX elisa kit

Human Apoptosis regulator BAX ELISA Kit

CATALOG #
AAA79880

REACTIVITY
Human


PRODUCT SYNONYMS

BCL2-associated X protein; Human Apoptosis regulator BAX ELISA Kit; BCL2L4; apoptosis regulator BAX; BAX elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Human BAX. No significant cross-reactivity or interference between Human BAX and analogues was observed.
Sequence Length	221
Samples	Serum, plasma, tissue homogenates
Detection Range	1.25 ng/ml-80 ng/ml
Sensitivity	0.312 ng/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): CV% is less than 8% Three samples of known concentration were tested twenty times on one plate to assess. Inter-assay Precision (Precision between assays): CV% is less than 10% Three samples of known concentration were tested in twenty assays to assess.
Detection Wavelength	450 nm
Sample Volume	50-100ul
Protein Biological Process 1	Apoptosis/Autophagy
Protein Biological Process 3	Apoptosis
Preparation and Storage	Unopened test kits should be stored at 2 to 8 degree C upon receipt. Please refer to pdf manual for further storage instructions.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for BAX elisa kit	Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to BAX. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated polyclonal antibody preparation specific for BAX and Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then a TMB (3,3',5,5' tetramethyl-benzidine) substrate solution is added to each well. Only those wells that contain BAX, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450 nm +/- 2 nm. The concentration of BAX in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	612149787
NCBI GeneID	581
NCBI Accession #	NP_001278357.1
NCBI GenBank Nucleotide #	NM_001291428.1
UniProt Accession #	Q07812; P55269; Q07814; Q07815; Q8WZ49; Q9NR76; Q9NYG7; Q9UCZ6; Q9UCZ7; Q9UQD6; A8K4W1
Molecular Weight	21,184 Da
NCBI Official Full Name	apoptosis regulator BAX isoform 1
NCBI Official Synonym Full Names	BCL2-associated X protein
NCBI Official Symbol	BAX
NCBI Official Synonym Symbols	BCL2L4
NCBI Protein Information	apoptosis regulator BAX; bcl2-L-4; bcl-2-like protein 4; BCL2-associated X protein omega
UniProt Protein Name	Apoptosis regulator BAX
UniProt Gene Name	BAX
UniProt Synonym Gene Names	BCL2L4; Bcl2-L-4
UniProt Entry Name	BAX_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.