

Rat brain-derived neurotrophic factor ELISA Kit | BDNF elisa kit

Rat Brain derived neurotrophic facor, BDNF ELISA Kit

CATALOG #
AAA80316

REACTIVITY
Rat


PRODUCT SYNONYMS

brain-derived neurotrophic factor; Rat Brain derived neurotrophic facor; BDNF ELISA Kit; MGC34632; neurotrophin; BDNF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of rat BDNF. No significant cross-reactivity or interference between rat BDNF and analogues was observed.
Sequence Length	362
Samples	Serum, plasma, tissue homogenates
Assay Type	Sandwich
Detection Range	0.312 ng/ml -20 ng/ml.
Sensitivity	The minimum detectable dose of rat BDNF is typically less than 0.078 ng/ml. The sensitivity of this assay, or Lower Limit of Detection (LLD) was defined as the lowest protein concentration that could be differentiated from zero. It was determined the mean O.D value of 20 replicates of the zero standard added by their three standard deviations.
Intra-assay Precision	Intra-assay Precision (Precision within an assay): CV%<8%. Three samples of known concentration were tested twenty times on one plate to assess.
Inter-assay Precision	Inter-assay Precision (Precision between assays): CV%<10%. Three samples of known concentration were tested in twenty assays to assess.
Preparation and Storage	Unopened test kits should be stored at 2 to 8 degree C upon receipt. Please refer to pdf manual for further storage instructions.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for BDNF elisa kit	Principle of the assay: This assay employs the quantitative sandwich enzyme immunoassay technique. Antibody specific for BDNF has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any BDNF present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for BDNF is added to the wells. After washing, avidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of BDNF bound in the initial step. The color development is stopped and the intensity of the color is measured.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	397174764
NCBI GeneID	24225
NCBI Accession #	NP_001257559.1
NCBI GenBank Nucleotide #	NM_001270630.1
UniProt Accession #	P23363; Q53YL8
Molecular Weight	28,109 Da
NCBI Official Full Name	brain-derived neurotrophic factor isoform 1
NCBI Official Synonym Full Names	brain-derived neurotrophic factor
NCBI Official Symbol	Bdnf
NCBI Protein Information	brain-derived neurotrophic factor; brain derived neurotrophic factor; brain derived neurothrophic factor
UniProt Protein Name	Brain-derived neurotrophic factor
UniProt Gene Name	Bdnf
UniProt Synonym Gene Names	BDNF
UniProt Entry Name	BDNF_RAT

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.