

Human Hepatoma Derived Growth Factor ELISA Kit | HDGF elisa kit

Human Hepatoma Derived Growth Factor ELISA Kit

CATALOG #
AAA87680

REACTIVITY
Human


PRODUCT SYNONYMS

Hepatoma Derived Growth Factor; Human Hepatoma Derived Growth Factor ELISA Kit; HDGF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Samples	Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate
Assay Type	Competitive
Detection Range	5.0-100ng/mL
Sensitivity	0.1ng/mL
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for HDGF elisa kit	Intended Uses: This HDGF ELISA kit is intended Laboratory for research use only.The Stop Solution changes the color from blue to yellow and the intensity of the color is measured at 450 nm using a spectrophotometer. In order to measure the concentration ofHDGF in the sample, thisHDGF ELISA Kit includes a set of calibration standards. The calibration standards are assayed at the same time as the samples and allow the operator to produce a standard curve of Optical Density versusHDGF concentration. The concentration ofHDGF in the samples is then determined by comparing the O.D. of the samples to the standard curve. Principle of the Assay: This HDGF enzyme linked immunosorbent assay applies a technique called a quantitative sandwich immunoassay. The microtiter plate provided in this kit has been pre-coated with a monoclonal antibody specific forHDGF. Standards or samples are then added to the microtiter plate wells andHDGF if present, will bind to the antibody pre-coated wells. In order to quantitatively determine the amount ofHDGF present in the sample, a standardized preparation of horseradish peroxidase (HRP)-conjugated polyclonal antibody, specific forHDGF are added to each well to "sandwich" theHDGF immobilized on the plate. The microtiter plate undergoes incubation, and then the wells are thoroughly washed to remove all unbound components. Next, A and B substrate solution is added to each well. The enzyme (HRP) and substrate are allowed to react over a short incubation period.Only those wells that containHDGF and enzyme-conjugated antibody will exhibit a change in colour. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the colour change is measured spectrophotometrically at a wavelength of 450 nm.
Product Categories/Family for HDGF elisa kit	Epigenetics and Nuclear Signaling

NCBI AND UNIPROT INFORMATION

NCBI GI #	4758516
NCBI GeneID	3068
NCBI Accession #	NP_004485.1
NCBI GenBank Nucleotide #	NM_004494.2
Molecular Weight	28,264 Da
NCBI Official Full Name	hepatoma-derived growth factor isoform a
NCBI Official Synonym Full Names	hepatoma-derived growth factor
NCBI Official Symbol	HDGF
NCBI Official Synonym Symbols	HMG1L2
NCBI Protein Information	hepatoma-derived growth factor; HMG-1L2; high mobility group protein 1-like 2
UniProt Protein Name	Hepatoma-derived growth factor
UniProt Gene Name	HDGF
UniProt Synonym Gene Names	HMG1L2; HDGF; HMG-1L2
UniProt Entry Name	HDGF_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.