

Chicken Interleukin-10 ELISA Kit | IL-10 elisa kit

Chicken Interleukin-10 ELISA Kit

CATALOG #
AAA99952

REACTIVITY
Chicken


PRODUCT SYNONYMS

Interleukin-10; Chicken Interleukin-10 ELISA Kit; IL-10 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Chicken
Specificity	This assay has high sensitivity and excellent specificity for detection of IL-10 . No significant cross-reactivity or interference between IL-10 and analogues was observed. Note: Limited by current skills and knowledge, it is difficult for us to complete the crossreactivity detection between IL-10 and all the analogues, therefore, cross reaction may still exist.
Sequence Length	178
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	15.625-1000pg/ml
Sensitivity	9.375pg/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level IL-10 were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level IL- 10 were tested on 3 different plates, 8 replicates in each plate. CV (%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL-10 elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti- IL-10 antibody was pre-coated onto 96-well plates. And the biotin conjugated anti- IL-10 antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and washed with wash buffer. HRPStreptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the IL-10 amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of IL-10 can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	10835141
NCBI GeneID	3586
NCBI Accession #	NP_000563.1
NCBI GenBank Nucleotide #	NM_000572.2
Molecular Weight	20,517 Da
NCBI Official Full Name	interleukin-10
NCBI Official Synonym Full Names	interleukin 10
NCBI Official Symbol	IL10
NCBI Official Synonym Symbols	CSIF; TGIF; GVHDS; IL-10; IL10A
NCBI Protein Information	interleukin-10
UniProt Protein Name	Interleukin-10
UniProt Gene Name	IL10
UniProt Synonym Gene Names	IL-10; CSIF
UniProt Entry Name	IL10_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/il-10-chicken-elisa-kits/interleukin-10/99952>