

Mouse Brain Derived Neurotrophic Factor ELISA Kit | BDNF elisa kit

Mouse Brain Derived Neurotrophic Factor ELISA Kit

CATALOG # AAA99960	REACTIVITY Mouse
------------------------------	----------------------------

PRODUCT SYNONYMS

Brain Derived Neurotrophic Factor; Mouse Brain Derived Neurotrophic Factor ELISA Kit; BDNF (Brain Derived Neurotrophic Factor)/ANON2/BULN2/Abrineurin/neurotrophin; BDNF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of BDG. No significant cross-reactivity or interference between BDG and analogues was observed.
Sequence Length	246
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	31.25-2000pg/ml
Sensitivity	18.75pg/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level BDG were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level BDG were tested on 3 different plates, 8 replicates in each plate. CV (%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES

Typical Data & Standard Curve

Results of a typical standard operation of a BDNF ELISA Kit are listed below. This standard curve was generated at our lab for demonstration purpose only. Users shall obtain standard curve as per experiment b, themselves. (N/A=not applicable)

X	pg/ml	0	31.25	62.5	125	250	500	1000	2000
Y	OD450	0.122	0.207	0.239	0.382	0.639	1.149	1.831	3.076

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for BDNF elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-BDG antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-BDG antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and washed with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the BDG amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of BDG can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	71384185
NCBI GeneID	396186
Molecular Weight	27,715 Da
NCBI Official Full Name	brain derived neurotrophic factor
NCBI Official Synonym Full Names	brain-derived neurotrophic factor
NCBI Official Symbol	BDNF
NCBI Protein Information	brain-derived neurotrophic factor
UniProt Protein Name	Brain-derived neurotrophic factor
UniProt Gene Name	BDNF
UniProt Synonym Gene Names	BDNF
UniProt Entry Name	BDNF_CHICK

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/bdnf-mouse-elisa-kits/brain-derived-neurotrophic-factor/99960>